GENERAL

1. Datum for levels is OS Malin Head.
2. Verify existing levels prior to commencement of works. Report any discrepancies immediately to the Employer's Representative.
3. The locations shown for existing services are indicative only and may not be accurate. Furthermore, uncharted services may also be present. The Contractor should assume the existence of services unless proven otherwise.
4. It is the Contractor's responsibility to determine the existence and precise location of any service located within the site. All works shall be carried out in strict accordance with the document 'Code of Practice for Avoiding Danger from Underground Services' as published by the Health and Safety Authority.

SURFACE WATER

1. The Specification for surface water drainage works shall be the TII Specification for Roadworks unless otherwise noted.
2. All surface water drains and sewers to be constructed in accordance with Detail 5-1.
3. Discharge pipes from gullies to drains and sewers shall be 150mm dia. Saddle connection for discharge pipes in accordance with Detail 5-2.
4. Chambers to be 1200mm dia. PCC Type C in accordance with TII Detail CC-SCD-00504.
5. Road gullies shall be in accordance with TII Detail CC-SCD-00510 and CC-SCD-00512.

SURFACE WATER DRAINAGE

Sewer and manhole

Gully and discharge pipe

Channel Drain

Existing sewer

OTHER

Existing Combined sewer

Existing Watermain

N

OS mapping reproduced under licence.

This drawing is not to be reproduced without the written permission of Kilgallen and Partners. Copyright.

REV	DATE	BY	DETAILS
PL1	28/11/24	AC	ISSUED FOR PLANNING

STATUS
FOR PLANNING APPLICATION PURPOSES ONLY. NOT TO BE USED FOR ANY OTHER PURPOSE.

CLIENT
CARLOW COUNTY COUNCIL

PROJECT
CARLOW TOWN CENTRE PUBLIC REALM AND PEDESTRIAN LINKAGE REGENERATION PROJECT

TITLE
DRAINAGE & WATERMAIN - GENERAL LAYOUT
SHEET 3 OF 5

KILGALLEN & PARTNERS
CONSULTING ENGINEERS
E-mail: Info@Kilgallen.ie, Web: www.kilgallen.ie

KYLEKIPROE
WELL ROAD
PORTLAOISE
T +353 56 866 2860

UNIT 3
DANVILLE BUSINESS PARK
KILKENNY
+353 56 777 01090

DRN:	DRAWING NO.:		REV.:
AC	23042-C-DR-503		PL1
CHKD:	SCALE:	SIZE:	DATE:
RK	1:250 @ A1	A1	28/11/24