



Site Outlined In Red.

NEW DWELLING 15.

NEW DWELLING 14.

NEW DWELLING 13.

NEW EIR JUNCTION BOX

NEW TELECOM POLE POSITION.

EXISTING TELECOM POLE TO BE RELOCATED.

NEW FOOTPATH

EXISTING DWELLING.

EXISTING ROADWAY

NEW TELECOM OVERHEAD WIRE POSITION.

EXISTING TELECOM OVERHEAD WIRE TO BE RELOCATED.

EXISTING TELECOM OVERHEAD WIRE TO BE RELOCATED.

NEW TELECOM OVERHEAD WIRE POSITION.

EXISTING DWELLING.

NOTE: IT WILL BE THE CONTRACTORS RESPONSIBILITY TO CONTACT EIR/EIRCOM TO ARRANGE REMOVAL OF EXISTING EIR/EIRCOM POLE AND INSTILLATION OF A NEW POLE IN POSITION SHOWN ON DRAWING.

NOTES

1. This drawing is the property of Carlow County Council, it is a confidential document and must not be copied, used, or its content divulged without prior written consent.
2. DO NOT SCALE, use figured dimensions only, if in doubt ask.

LEGEND

SITE OUTLINE ———

SITE AREA 0.148 Hect/0.366Acres

EXISTING SPOT LEVELS: \blacktriangle S.L.:266.68

PROPOSED LEVELS: \blacklozenge Prop Level:266.80

Site Centre Coordinates
X=665138
Y=672810



No.	Date	Amendment / Issue	App.
A	04/03/24	Planning Stage	LS

CARLOW COUNTY COUNCIL
HOUSING DEPARTMENT
Director Of Services: Michael Brennan
Tullow Civic Offices, Inner Relief Road, Tullow, Co. Carlow
Phone: (059)9136296 Fax: (059)9152156
Email: secretar@carlowcoco.ie

Carlow Local Authorities, A CPD Accredited Company

Project:
PROPOSED NEW DWELLINGS AT TOWNSEND AVENUE, BILBOA, CO. CARLOW.

Title:
SITE PLAN - EIRCOM.

Drawn by:	R.S.	Job No:	
Checked by:	L.S.	Drw Loc:	
Approved by:	LS	Drg. No:	Rev:
Scale:	1 to 250 @ A3	E-109	A
Date:	04/03/2024		

EIRCOM LEGEND

1. ALL DUCTING SHALL BE 100mm BLACK PVC DUCTING INSTALLED IN ACCORDANCE WITH EIRCOM SUPPLIER STANDARDS AND SPECIFICATIONS U.N.O.
2. ALL JUNCTION BOXES TO BE TYPE JB4A UNLESS OTHERWISE IDENTIFIED ON THE DRAWINGS.

EXISTING TELECOM POLE TO BE RELOCATED. \bullet TP

EXISTING OVERHEAD TELECOM WIRE TO BE RELOCATED. - - - - -

NEW TELECOM POLE TO BE RELOCATED. \bullet TP

NEW OVERHEAD TELECOM WIRE POSITION. - - - - -

DENOTES 1No. 110mm Ø BLACK uPVC TWINWALL DUCT WITH STRONG CONTINUOUS 10mm POLPROPYLENE DRAW ROPE FREE OF KNOTS AND SECURED AT BOTH ENDS ———

DENOTES 50mm Ø BLACK HYDODARE (HD) DUCT BETWEEN DWELLING AND EIRCOM JUNCTION BOX WITH STRONG CONTINUOUS 10mm POLPROPYLENE DRAW ROPE FREE OF KNOTS AND SECURED AT BOTH ENDS (ONE DUCT PER DWELLING, NOT TO BE SHARED). - - - - -

DENOTES TYPICAL EIRCOM JUNCTION BOX JB4

ALL WORKS TO BE IN ACCORDANCE WITH EIRCOM'S 'BUILDER SPECIFICATION FOR EIRCOM'S TELECOMMS INFRASTRUCTURE REQUIREMENTS' DOCUMENT.

SITE PLAN-EIRCOM

Scale 1:250